



BALL BEARING

01	<i>Deep Groove Ball Bearings</i>	03
02	<i>Angular Contact Ball Bearings</i>	25

Your Global Search For
Quality Bearing Ends Here.

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
1	0008 981 1325	90	130	41
2	10787	11	42	30
3	1101934	45	90	40
4	130	30	62	24
5	1407	35	100	25
6	16005	25	47	8
7	16006	30	55	9
8	16007	35	62	9
9	16008	40	68	9
10	16010	30	60	37
11	16011	55	90	11
12	16012	60	95	11
13	16014	110	70	13
14	16015	75	115	13
15	16016	80	125	14
16	16017 C3	90	130	14
17	16018	34	62	37
18	16019	34	64	37
19	16020	34	66	37
20	16021	35	65	35
21	16022	35	66	32
22	16026	35	72	33
23	16028	140	210	22
24	16100	35	55	20
25	16101	35	52	22
26	27H3946		56	13

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
27	307677	20	51	15
28	3205	25	52	21
29	3206	30	62	24
30	3207	35	72	27
31	3208	40	80	30
32	3209	45	85	30
33	3211	55	100	33
34	3212	60	110	37
35	3213	65	120	38
36	3214	70	125	40
37	3215	75	130	41
38	3216	80	140	44
39	3217	85	150	49
40	3218	90	160	52
41	3219	95	170	56
42	3220	100	180	60
43	3221	105	190	65
44	3222	110	200	70
45	3300	10	35	19
46	3301	12	37	19
47	3302	15	42	19
48	3303	17	47	22
49	3308	40	90	37
50	3312	60	130	54
51	3313	65	140	59
52	3314	70	150	64

www.kasumabearings.com

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
53	3315	75	160	68
54	3316	80	170	68
55	3317	85	180	73
56	3318	90	190	73
57	3319	95	200	78
58	3320	100	215	83
59	3321	105	225	87
60	3322	110	240	92
61	337160	9	57	35
62	414292	59	102	41
63	451527	45	85	51
64	5203	17	40	18
65	5204	20	47	21
66	5205	25	52	21
67	5206	30	62	24
68	5207	35	72	27
69	5208	40	80	30
70	5209	45	85	30
71	5210	50	90	30
72	5211	55	100	33
73	5213	65	120	38
74	5214	70	125	40
75	5304	20	52	22
76	5305	25	62	25
77	5306	30	72	30
78	5307	35	80	35

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
79	5308	40	90	37
80	5309	45	100	40
81	5310	50	110	44
82	5311	55	120	49
83	5312	60	130	54
84	5313	65	140	59
85	5314	70	150	64
86	5315	75	160	68
87	5408	40	110	49
88	5409	45	120	54
89	5410	50	130	59
90	5411	55	140	64
91	5412	60	150	67
92	5413	65	160	71
93	5414	70	180	79
94	559063		38	18
95	564583	10	52	31
96	565007	17	52	17
97	566096	35	77	17
98	5666683		38	18
99	576513	38	72	20
100	6000	10	26	8
101	6000 2RS	10	26	8
102	6001	12	28	8
103	6001 2RS	12	28	8
104	6001 ZZ	12	28	8

www.kasumabearings.com

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
105	6002	15	32	9
106	6002 2RS	15	32	9
107	6002 ZZ	15	32	9
108	6003	17	35	10
109	6003 ZZ	17	35	10
110	6004	20	42	12
111	6004 2RS	20	42	12
112	6004 ZZ	20	42	12
113	6005	25	47	12
114	6005 2RS	25	47	120
115	6005 ZZ	25	47	12
116	6006	30	55	13
117	6006 2RS	30	55	13
118	6006 ZZ	30	55	13
119	6007	35	62	14
120	6007 2RS	35	62	14
121	6007 ZZ	35	62	14
122	6008	40	68	15
123	6008 2RS	40	68	15
124	6008 ZZ	40	68	15
125	6009	45	75	16
126	6009-ZZ	45	75	16
127	6009-RS1	45	75	16
128	6009 2RS	45	75	16
129	6009 ZZ	45	75	16
130	6010	50	80	16

www.kasumabearings.com

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
131	6010 2RS	50	80	16
132	6010 2RS/C3	50	80	16
133	6010 ZZ	50	80	16
134	6011	55	90	18
135	6011 2RS	55	90	18
136	6011 ZZ	55	90	18
137	6012	60	95	18
138	6012-2RS1	60	95	18
139	6012-2RZ	60	95	18
140	6012-2Z	60	95	18
141	6012-RS1	60	95	18
142	6012-RZ	60	95	18
143	6012 2RS	60	95	18
144	6013	65	100	18
145	6013-2RS1	65	100	18
146	6013-2Z	65	100	18
147	6013-RS1	65	100	18
148	6013 2RS	65	100	18
149	6013 ZZ	65	100	18
150	6014	70	110	20
151	6014-2RS1	70	110	20
152	6014-2Z	70	110	20
153	6014-RS1	70	110	20
154	6014 2RS	70	110	20
155	6015	75	115	20
156	6015-2RS1	75	115	20

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
157	6015-2RZ	75	115	20
158	6015-2Z	75	115	20
159	6015-RS1	75	115	20
160	6015-RZ	75	115	20
161	6015 2RS	75	115	20
162	6016	80	125	22
163	6016-2RS1	80	125	22
164	6016-2Z	80	125	22
165	6016-RS1	80	125	22
166	6016 2RS	80	125	22
167	6017	85	130	14
168	6017-2RS1	85	130	22
169	6017-2Z	85	130	22
170	6017-RS1	85	130	22
171	6018	90	140	24
172	6018-2RS1	90	140	24
173	6018-2Z	90	140	24
174	6018-RS1	90	140	24
175	6019	95	145	24
176	6019-2RS1	95	145	24
177	6019-2Z	95	145	24
178	6019-RS1	95	145	24
179	6020	100	150	24
180	6020-2RS1	100	150	24
181	6020-2Z	100	150	24
182	6020-RS1	100	150	24

www.kasumabearings.com

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
183	6021	105	160	26
184	6021-2RS1	105	160	26
185	6021-2Z	105	160	26
186	6021-RS1	105	160	26
187	6022	110	170	28
188	6022-2RS1	110	170	28
189	6022-2Z	110	170	28
190	6022-RS1	110	170	28
191	6022-Z	110	170	28
192	6024	120	180	28
193	6024-2RS1	120	180	28
194	6024-2Z	120	180	28
195	6024-RS1	120	180	28
196	6024-Z	120	180	28
197	6026	130	200	33
198	6026-2RS1	130	200	33
199	6026-2Z	130	200	33
200	6026-RS1	130	200	33
201	6026-Z	130	200	33
202	6028	140	210	33
203	6028-2RS1	140	210	33
204	6028-2Z	140	210	33
205	6028-RS1	140	210	33
206	6028-Z	140	210	33
207	6030	150	225	35
208	6030-2RS1	150	225	35

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
209	6030-2Z	150	225	35
210	6030-RS1	150	225	35
211	6030-Z	150	225	35
212	61801	12	21	5
213	61803	17	26	5
214	61804	20	32	7
215	61805	25	37	7
216	61806	30	42	7
217	61807	35	47	7
218	61808	40	52	7
219	61809	45	58	7
220	61810	50	65	7
221	61811	55	72	9
222	61812	60	78	10
223	61813	65	85	10
224	61814	70	90	10
225	61814-2RS1	70	90	10
226	61814-2RZ	70	90	10
227	61815	75	95	10
228	61816	80	100	10
229	61817	85	110	13
230	61818	90	115	13
231	61819	95	120	13
232	61820	100	125	13
233	61821	105	130	13
234	61822	110	140	16

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
235	61824	120	150	16
236	61826	130	165	18
237	61828	140	175	18
238	61830	150	190	20
239	61928	140	190	24
240	6200	10	30	9
241	6200 2RS	10	30	9
242	6200 ZZ	10	30	9
243	6201	12	32	10
244	6201 2RS	12	32	10
245	6201 ZZ	12	32	10
246	6202	15	35	11
247	6202 2RS	15	35	11
248	6202 ZZ	15	35	11
249	6203	17	40	12
250	6203 2RS/C3	17	40	12
251	6203 ZZ	17	40	12
252	6204	20	47	14
253	6204 2RS	20	47	14
254	6204 ZZ	20	47	14
255	6205	25	52	15
256	6205-2Z	25	52	15
257	6205 2RS	25	52	15
258	6206	30	62	16
259	6206-2RS1	30	62	16
260	6206-2RZ	30	62	16

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
261	6206-2Z	30	62	16
262	6206-RS1	30	62	16
263	6206-RZ	30	62	16
264	6206 2RS	30	62	16
265	6207	35	72	17
266	6207-2RS1	35	72	17
267	6207-2Z	35	72	17
268	6207-RS1	35	72	17
269	6207 2RS	35	72	17
270	6207 C3	35	72	17
271	6207 Z NR	35	72	17
272	6207 ZZ	35	72	17
273	6207 ZZ/C3	35	72	17
274	6208	40	80	18
275	6208-2RS1	40	80	18
276	6208-2RZ	40	80	18
277	6208-2Z	40	80	18
278	6208-RS1	40	80	18
279	6208-RZ	40	80	18
280	6208 2RS	40	80	18
281	6208 Z NR	40	80	18
282	6209	45	85	19
283	6209-2RS1	45	85	19
284	6209-2Z	45	85	19
285	6209-RS1	45	85	19
286	6209 2RS	45	85	19

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
287	6210	50	90	20
288	6210-2RS1	50	90	20
289	6210-2RZ	50	90	20
290	6210-2Z	50	90	20
291	6210-RS1	50	90	20
292	6210-RZ	50	90	20
293	6210 2RS	50	90	20
294	6210 Z NR	50	90	20
295	6210 ZZ	50	90	20
296	6211	55	100	21
297	6211-2RS1	55	100	21
298	6211-2Z	55	100	21
299	6211-RS1	55	100	21
300	6211 2RS	55	100	21
301	6211 2RS/C3	55	110	21
302	62111	55	100	21
303	6212	60	110	22
304	6212-2RS1	60	110	22
305	6212-2Z	60	110	22
306	6212-RS1	60	110	22
307	6212 2RS	60	110	22
308	6212 ZNR/C3	60	110	22
309	6213	65	120	23
310	6213-2RS1	65	120	23
311	6213-2Z	65	120	23
312	6213-RS1	65	120	23

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
313	6213 2RS	65	120	23
314	6213 NR	65	120	23
315	6214	70	125	24
316	6214-2RS1	70	125	24
317	6214-2Z	70	125	24
318	6214-RS1	70	125	24
319	6214 2RS	70	125	24
320	6214 2RS/C3	70	125	24
321	6214 C3	70	125	24
322	6215	75	130	25
323	6215-2RS1	75	130	25
324	6215-2Z	75	130	25
325	6215-RS1	75	130	25
326	6215 2RS	75	130	25
327	6215 ZZ	75	130	25
328	6215 ZZ/C3	75	130	25
329	6216	80	140	26
330	6216-2RS1	80	140	26
331	6216-2Z	80	140	26
332	6216-RS1	80	140	26
333	6216 2RS	85	140	26
334	6216 C3	80	140	26
335	6216 C4	80	140	26
336	6217	85	150	28
337	6217-2RS1	85	150	28
338	6217-2Z	85	150	28

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
339	6217-RS1	85	150	28
340	6217 C3	85	150	28
341	6218	90	160	30
342	6218-2RS1	90	160	30
343	6218-2Z	90	160	30
344	6218-RS1	90	160	30
345	6218 C3	90	160	30
346	6219	95	170	32
347	6219-2RS1	95	170	32
348	6219-2Z	95	170	32
349	6219-RS1	95	170	32
350	6219-Z	95	170	32
351	6220	100	180	34
352	6220-2RS1	100	180	34
353	6220-2Z	100	180	34
354	6220-RS1	100	180	34
355	6220-Z	100	180	34
356	62200	10	30	14
357	62201	12	32	14
358	62201 2RS/C3	12	32	14
359	62202 2RS/C3	15	35	14
360	62202-2RS1	15	35	14
361	62203-2RS1	17	40	16
362	62204 2RS	20	47	18
363	62204-2RS1	20	47	18
364	62205-2RS1	25	52	18

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
365	62206 2RS	30	62	20
366	62206-2RS1	30	62	20
367	62207-2RS1	35	72	23
368	62208-2RS1	40	80	23
369	62209-2RS1	45	85	23
370	6221	105	190	36
371	6221-2RS1	105	190	36
372	6221-2Z	105	190	36
373	6221-RS1	105	190	36
374	6221-Z	105	190	36
375	62210-2RS1	50	90	23
376	62211-2RS1	55	100	25
377	62212 2RS	60	110	28
378	62212-2RS1	60	110	28
379	62213-2RS1	65	120	31
380	62214-2RS1	70	125	31
381	6222	110	200	38
382	6222-2Z	110	200	38
383	6222-Z	110	200	38
384	6224	120	215	40
385	6224-2Z	120	215	40
386	6224-Z	120	215	40
387	6226	130	230	40
388	6226-2Z	130	230	40
389	6226-Z	130	230	40
390	6228	140	250	42

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
391	6230	150	270	45
392	62301-2RS1	12	37	17
393	62302-2RS1	15	42	17
394	62303-2RS1	17	47	19
395	62304	17	52	21
396	62304-2RS1	20	52	21
397	62305	25	62	24
398	62305 2RS/C3	25	62	24
399	62305-2RS1	25	62	24
400	62306-2RS1	30	72	27
401	62307-2RS1	35	80	31
402	62308-2RS1	40	90	33
403	62309-2RS1	45	100	36
404	62310-2RS1	50	110	40
405	62311-2RS1	55	120	43
406	62312-2RS1	60	130	46
407	62313-2RS1	65	140	48
408	62314-2RS1	70	150	51
409	6232	160	290	48
410	6234	170	310	52
411	6236	180	320	52
412	6238	190	340	55
413	6300	10	35	11
414	6300 2RS	10	35	11
415	63002-2RS1	15	32	13
416	63003-2RS1	17	35	14

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
417	63004-2RS1	20	42	16
418	63005-2RS1	25	47	16
419	63006-2RS1	30	55	19
420	63007-2RS1	35	62	20
421	63008-2RS1	40	68	21
422	63009-2RS1	45	75	23
423	6301	12	37	12
424	6301 2RS	12	37	12
425	6301 ZZ	12	37	12
426	6301 ZZ/C3	13	37	12
427	63010-2RS1	50	80	23
428	6302	15	42	13
429	6302 2RS	15	42	13
430	6302 ZZ	15	42	13
431	6303	17	47	14
432	6303 2RS	17	47	14
433	6303 ZZ	17	47	14
434	6304	20	52	15
435	6304 2RS	20	52	15
436	6304 ZZ	20	52	15
437	6305	25	62	17
438	6305-2RS1	25	62	17
439	6305-2RZ	25	62	17
440	6305-2Z	25	62	17
441	6305-RS1	25	62	17
442	6305-RZ	25	62	17

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
443	6305 Z NR	25	62	17
444	6305 ZZ	25	62	17
445	6306	30	72	19
446	6306-2RS1	30	72	19
447	6306-2RZ	30	72	19
448	6306-2Z	30	72	19
449	6306-RS1	30	72	19
450	6306-RZ	30	72	19
451	6306 2RS	30	72	19
452	6306 Z NR	30	72	19
453	6306/25 2RS/C3	25	72	19
454	6307	35	80	21
455	6307-2RS1	35	80	21
456	6307-2Z	35	80	21
457	6307-RS1	35	80	21
458	6307 2RS	35	80	21
459	6307 Z NR	35	80	21
460	6307 ZZ	35	80	21
461	6308	40	90	23
462	6308-2RS1	40	90	23
463	6308-2RZ	40	90	23
464	6308-2Z	40	90	23
465	6308-RS1	40	90	23
466	6308-RZ	40	90	23
467	6308 2RS	40	90	23
468	6308 Z NR	40	90	23

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
469	6308 ZZ	40	90	23
470	6308 ZZ/C3	40	90	23
471	6309	45	100	25
472	6309-2RS1	45	100	25
473	6309-2Z	45	100	25
474	6309-RS1	45	100	25
475	6309 2RS	45	100	25
476	6309 NR	45	100	25
477	6309 ZZ	45	100	25
478	6310	50	110	27
479	6310-2RS1	50	110	27
480	6310-2Z	50	110	27
481	6310-RS1	50	110	27
482	6310 2RS	50	110	27
483	6310 NR	50	110	27
484	6310 ZZ	50	110	27
485	6311	55	120	29
486	6311-2RS1	55	120	29
487	6311-2Z	55	120	29
488	6311-RS1	55	120	29
489	6311 NR	55	120	90
490	6311 ZZ	55	120	29
491	6312	60	130	31
492	6312-2RS1	60	130	31
493	6312-2Z	60	130	31
494	6312-RS1	60	130	31

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
495	6312 2RS	60	130	31
496	6312 NR/C3	60	130	31
497	6313	65	140	33
498	6313-2RS1	65	140	33
499	6313-2Z	65	140	33
500	6313-RS1	65	140	33
501	6313 2RS	65	140	33
502	6313 C4	65	140	33
503	6314	70	150	35
504	6314-2RS1	70	150	35
505	6314-2Z	70	150	35
506	6314-RS1	70	150	35
507	6314 2RS	70	150	35
508	6314 ZZ	70	150	35
509	6315	75	160	37
510	6315-2RS1	75	160	37
511	6315-2Z	75	160	37
512	6315-RS1	75	160	37
513	6315 2RS	75	160	37
514	6315 ZZ/C3	75	160	37
515	6316	80	170	39
516	6316-2RS1	80	170	39
517	6316-2Z	80	170	39
518	6316-RS1	80	170	39
519	6316-Z	80	170	39
520	6317	85	180	41

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
521	6317-2RS1	85	180	41
522	6317-2Z	85	180	41
523	6317-RS1	85	180	41
524	6317-Z	85	180	41
525	6318	90	190	43
526	6318-2RS1	90	190	43
527	6318-2Z	90	190	43
528	6318-RS1	90	190	43
529	6318-Z	90	190	43
530	6319	95	200	45
531	6319-2RS1	95	200	45
532	6319-2Z	95	200	45
533	6319-RS1	95	200	45
534	6319-Z	95	200	45
535	6320	100	215	47
536	6320-2Z	100	215	47
537	6320-Z	100	215	47
538	6321	105	225	49
539	6321-2Z	105	225	49
540	6321-Z	105	225	49
541	6322	110	240	50
542	6324	120	260	55
543	6326	130	280	58
544	6328	140	300	62
545	6330	150	320	65
546	6332	160	340	68

DEEP GROOVE BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
547	6386/6320	67	136	54
548	6403	17	62	17
549	6403 2RS/C3	17	62	17
550	6404	20	72	19
551	6405	25	80	21
552	6405 2RS/C3	25	80	21
553	6406	30	90	23
554	6407	35	100	25
555	6407 2RS	35	100	25
556	6408	40	110	27
557	6408 2RS	40	110	27
558	6409	45	120	29
559	6409 2RS/C3	45	120	29
560	6410	50	130	31
561	6410 2RS/C3	50	130	31
562	6411	55	140	33
563	7200	10	30	9
564	7201	12	32	10
565	7202	15	35	11
566	7203	17	40	12
567	7301	12	37	12
568	7302	15	42	13
569	7303	17	47	14

ANGULAR CONTACT BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
1	16004	25	56	32
2	16030	37	72	37
3	16032	37	74	45
4	16115	36	68	33
5	26202869	25	62	25.5
6	3200	10	30	14
7	3201	12	32	15.9
8	3202	15	35	15.9
9	3203	17	40	17.5
10	3204	20	47	20.6
11	3207 B 2RS/C3	35	72	27
12	3304	20	52	22.2
13	3305	25	62	25.4
14	3306	30	72	30.2
15	3307	35	80	34.9
16	3309	45	100	39.7
17	3310	50	110	44.4
18	3311	55	120	49.2
19	5200	10	30	14.3
20	5201	12	32	15.9
21	5202	15	35	15.9
22	5212	60	110	36.5
23	5215	75	130	41.3
24	5216	80	140	44.4
25	5217	85	150	49.2
26	5218	90	160	52.4

ANGULAR CONTACT BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
27	5219	95	170	55.6
28	5220	100	180	60.3
29	5222	110	200	69.8
30	5316	80	170	68.3
31	5317	85	180	73
32	5318	90	190	73
33	7004	20	42	12
34	7005	25	47	12
35	7006	30	55	13
36	7007	35	62	14
37	7008	40	68	15
38	7009	45	75	16
39	7010	50	80	16
40	7011	55	90	18
41	7012	60	95	18
42	7013	65	100	18
43	7014	70	110	20
44	7015	75	115	20
45	7016	80	125	22
46	7017	85	130	22
47	7018	90	140	24
48	7019	95	145	24
49	7020	100	150	24
50	7021	105	160	26
51	7022	110	170	28
52	7024	120	180	28

ANGULAR CONTACT BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
53	7026	130	200	33
54	7028	140	210	33
55	7030	150	225	35
56	7204	20	47	14
57	7205	25	52	15
58	7206	30	62	16
59	7207	35	72	17
60	7208	40	80	18
61	7209	45	85	19
62	7210	50	90	20
63	7211	55	100	21
64	7212	60	110	22
65	7213	65	120	23
66	7214	70	125	24
67	7215	75	130	25
68	7216	80	140	26
69	7217	85	150	28
70	7218	90	160	30
71	7219	95	170	32
72	7220	100	180	34
73	7221	105	190	36
74	7222	110	200	38
75	7224	120	215	40
76	7226	130	230	40
77	7228	140	250	42
78	7230	150	270	45

ANGULAR CONTACT BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
79	7300	10	35	11
80	7304	20	52	15
81	7305	25	62	17
82	7306	30	72	19
83	7307	35	80	21
84	7308	40	90	23
85	7309	45	100	25
86	7310	50	110	27
87	7311	55	120	29
88	7312	60	130	31
89	7313	65	140	33
90	7314	70	150	35
91	7315	75	160	37
92	7316	80	170	39
93	7317	85	180	41
94	7318	90	190	43
95	7319	95	200	45
96	7320	100	215	47
97	7321	105	225	49
98	7322	110	240	50
99	7324	120	260	55
100	7326	130	280	58
101	7328	140	300	62
102	7330	150	320	65
103	7405	25	80	21
104	7406	30	90	23

www.kasumabearings.com

ANGULAR CONTACT BALL BEARINGS



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
105	7407	35	100	25
106	7408	40	110	27
107	7409	45	120	29
108	7410	50	130	31
109	7411	55	140	33
110	7412	60	150	35
111	7415	75	190	45
112	7416	80	200	48
113	7418	90	225	54





www.kasumabearings.com
info@kasumabearings.com