



# CYLINDRICAL ROLLER BEARING

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
1	49817401	75	150	31.3
2	10-3644	27.026	42.862	25.4
3	1307 TAM (30)	30	80	23
4	209 C3	45	85	19
5	403635	45.037	90	22.9
6	431677	45	90	50.9
7	431935 C	30	61.935	19
8	4405 D	30	62	19
9	508461	28	90	19
10	510148 B	35	80	23
11	511482	60	135	33.55
12	512392	69.85	120	32.545
13	580616	75	140	34.21
14	83006	30	62	19
15	83007	30	80	23
16	83008	35	90	23
17	87629	30		26
18	CBK 238	50	80	15
19	CBK 239	30	62	19
20	CFL 10	31.75	69.85	17.463
21	CFL 10 BR	0	0	0
22	CFL 11	34.925	76.2	17.463
23	CFL 12	38.1	82.55	19.05
24	CFL 14	44.45	95.25	20.638
25	CFL 16	50.8	101.6	20.638
26	CFL 18	57.15	114.3	22.225

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
27	CFL 20	63.5	127	23.813
28	CFL 22	69.85	133.35	23.813
29	CFL 24	76.2	146.05	26.987
30	CFL 26	82.55	152.4	26.988
31	CFL 28	88.9	165.1	28.575
32	CFL 30	95.25	171.45	28.575
33	CFL 32	101.6	184.15	31.75
34	CFL 34	107.95	190.5	31.75
35	CFL 36	114.3	203.2	33.338
36	CFL 38	120.65	209.55	33.338
37	CFL 40	127	228.6	34.925
38	CFL 6	19.05	47.625	9.525
39	CFL 7	22.225	50.8	11.113
40	CFL 8	25.4	57.15	15.875
41	CFL 9	28.575	63.5	15.875
42	CFM 10 BR	31.75	79.375	22.225
43	CFM 10 ST	31.75	79.375	22.225
44	CFM 11	34.925	88.9	22.225
45	CFM 12	38.1	95.25	23.812
46	CFM 13	41.275	101.6	23.813
47	CFM 14	44.45	107.95	26.987
48	CFM 15	47.625	114.3	26.988
49	CFM 16	50.8	114.3	26.987
50	CFM 18	57.15	127	31.75
51	CFM 20	63.5	139.7	31.75
52	CFM 22	69.85	158.75	34.925

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
53	CFM 24	76.2	177.8	39.687
54	CFM 26	82.55	190.5	39.688
55	CFM 27	85.725	190.5	39.688
56	CFM 28	88.9	206.375	44.45
57	CFM 30	95.25	209.55	44.45
58	CFM 32	101.6	215.9	44.45
59	CFM 34	107.95	222.25	44.45
60	CFM 36	114.3	238.125	50.8
61	CFM 38	120.65	254	50.8
62	CFM 40	127	254	50.8
63	CFM 44	139.7	279.4	50.8
64	CFM 6	19.05	50.8	17.463
65	CFM 7	22.225	63.5	17.463
66	CFM 8	25.4	63.5	19.05
67	CFM 9	28.575	71.437	20.637
68	CRL 10	31.75	69.85	17.462
69	CRL 11	34.925	76.2	17.462
70	CRL 12	38.1	82.55	19.05
71	CRL 13	41.275	88.9	19.05
72	CRL 14	44.45	95.25	20.637
73	CRL 15	47.625	101.6	20.637
74	CRL 16	50.8	101.6	20.637
75	CRL 18	57.15	114.3	22.225
76	CRL 20	63.5	127	23.812
77	CRL 22	69.85	133.35	23.812
78	CRL 24	76.2	146.05	26.987

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
79	CRL 26 M	82.55	152.4	26.987
80	CRL 28 M	88.9	165.1	28.575
81	CRL 30 M	95.25	171.45	28.575
82	CRL 32 M	101.6	184.15	31.75
83	CRL 34	107.95	190.5	31.75
84	CRL 36 M	114.3	203.2	33.337
85	CRL 38	120.65	209.55	33.338
86	CRL 40	127	228.6	34.925
87	CRL 44	139.7	241.3	34.925
88	CRL 6	19.05	47.625	14.287
89	CRL 60	190.5	317.5	44.45
90	CRL 7	22.225	50.8	14.287
91	CRL 8	25.4	57.15	15.875
92	CRL 9	28.575	63.5	15.875
93	CRM 10	31.75	79.375	22.225
94	CRM 11	34.925	88.9	22.225
95	CRM 12	38.1	95.25	23.812
96	CRM 13	41.275	101.6	23.812
97	CRM 14	44.45	107.95	26.987
98	CRM 15	47.625	114.3	26.987
99	CRM 16	50.8	114.3	26.987
100	CRM 18	57.15	127	31.75
101	CRM 20	63.5	139.7	31.75
102	CRM 22	69.85	158.75	34.925
103	CRM 24	76.2	177.8	39.687
104	CRM 26	82.55	190.5	39.687

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
105	CRM 27	85.725	190.5	39.688
106	CRM 28	88.9	206.375	44.45
107	CRM 30	95.25	209.55	44.45
108	CRM 32	101.6	215.9	44.45
109	CRM 34	107.95	222.25	44.45
110	CRM 36	114.3	238.125	50.8
111	CRM 38	120.65	254	50.8
112	CRM 40	127	254	50.8
113	CRM 44	139.7	279.4	50.8
114	CRM 8	25.4	63.5	19.05
115	CRM 9	28.575	71.437	20.637
116	EPPP	44	76	30.25
117	ESJ 9717	89	130.1	44.5
118	H83008SF 40 mm	40	90	23
119	HY 8307 SF (30mm)	30	80	21
120	HY 8307 SF (35mm)	35	80	23
121	JC 8002	30	62	19.05
122	JC 8003	50	80	15
123	JC 8005	25	62	29.5
124	JC 8009	30	50	17
125	JC 8011	25	62	11
126	MR 1012 EAH	60	95.044	18
127	MR 1309 EHL	45	100.063	25
128	MR 1311 EHL	55	120.056	29
129	MR 5209 EAH	45	85	30
130	MR 7313 EAH	65	140	42

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
131	MR 7315 EAH	75	160.071	
132	MU 1308	40	90	23
133	MU 1309 TM	45	100	25
134	MU 1924 DAHV	120	165.072	22
135	MU 1926 DAV	130	180.071	24
136	MUS 1306	30	72	19
137	MUS 1307	30	80	21
138	MUS 1308	35	90	23
139	N 1006	30	55	13
140	N 1007	35	62	14
141	N 1008	40	68	15
142	N 1009	45	75	16
143	N 1010	50	80	16
144	N 1011	55	90	18
145	N 1012	60	95	18
146	N 1013	65	100	18
147	N 1014	70	110	20
148	N 1015	75	115	20
149	N 1016	80	125	22
150	N 1017	85	130	22
151	N 1018	90	140	24
152	N 1019	95	145	24
153	N 1020	100	150	24
154	N 1021	105	160	26
155	N 1022	110	170	28
156	N 1024	120	180	28

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
157	N 1026	130	200	33
158	N 1028	140	210	33
159	N 1030	150	225	35
160	N 204	20	47	14
161	N 205	25	52	15
162	N 206	30	62	16
163	N 207	35	72	17
164	N 208	40	80	18
165	N 209	45	85	19
166	N 210	50	90	20
167	N 211	55	100	21
168	N 212	60	110	22
169	N 213	65	120	23
170	N 214	70	125	24
171	N 215	75	130	25
172	N 216	80	140	26
173	N 217	85	150	28
174	N 218 M	90	160	30
175	N 219 M	95	170	32
176	N 220 MS	100	180	34
177	N 2204	20	47	18
178	N 2205	25	52	18
179	N 2206	30	62	20
180	N 2207	35	72	23
181	N 2208	40	80	23
182	N 2209	45	85	23



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
183	N 221	105	190	36
184	N 2210	50	90	23
185	N 2211	55	100	25
186	N 2212	60	110	28
187	N 2213	65	120	31
188	N 2214	70	125	31
189	N 2215	75	130	31
190	N 2216	80	140	33
191	N 2217	85	150	36
192	N 2218	90	160	40
193	N 2219	95	170	43
194	N 2220	100	180	46
195	N 226	130	230	40
196	N 228	140	250	42
197	N 230	150	270	45
198	N 2304	20	52	21
199	N 2305	25	62	24
200	N 2306	30	72	27
201	N 2307	35	80	31
202	N 2308	40	90	33
203	N 2309	45	100	36
204	N 2310	50	110	40
205	N 2311	55	120	43
206	N 2312	60	130	46
207	N 2313	65	140	48
208	N 2314	70	150	51

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
209	N 2315	75	160	55
210	N 2316	80	170	58
211	N 2317	85	180	60
212	N 2318	90	190	64
213	N 2319	95	200	67
214	N 232	160	290	48
215	N 2320	100	215	73
216	N 234	170	310	52
217	N 236	180	320	52
218	N 238	190	340	55
219	N 304	20	52	15
220	N 305	25	62	17
221	N 306	30	72	19
222	N 307	35	80	21
223	N 308	40	90	23
224	N 309	45	100	25
225	N 310	50	110	27
226	N 311	55	120	29
227	N 312	60	130	31
228	N 313	65	140	33
229	N 314	70	150	35
230	N 315	75	160	37
231	N 316	80	170	39
232	N 317	85	180	41
233	N 318	90	190	43
234	N 319	95	200	45

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
235	N 320 M	100	215	47
236	N 321	105	225	49
237	N 322	110	240	50
238	N 324	120	260	55
239	N 326	130	280	58
240	N 328	140	300	62
241	N 330	150	320	65
242	N 332	160	340	68
243	N 405	25	80	21
244	N 406	30	90	23
245	N 407	35	100	25
246	N 408	40	110	27
247	N 409	45	120	29
248	N 410	50	130	31
249	N 411	55	140	33
250	N 412	60	150	35
251	N 413	65	160	37
252	N 414	70	180	42
253	N 415	75	190	45
254	N 416	80	200	48
255	N 417	85	210	52
256	N 418	90	225	54
257	N 419	95	240	55
258	N 420	100	250	58
259	N 421	105	260	60
260	N 422	110	280	65

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
261	N 424	120	310	72
262	N 426	130	340	78
263	NF 1012	60	95.046	18
264	NF 1013	65	100.046	18
265	NF 1015 M	75	115	20
266	NF 204	20	47	14
267	NF 206	30	62	16
268	NF 207	35	72	17
269	NF 208	40	80	18
270	NF 209	45	85	19
271	NF 210	50	90	20
272	NF 211	55	100	21
273	NF 212	60	110	22
274	NF 213	65	120	23
275	NF 214	70	125	24
276	NF 215	75	130	25
277	NF 216	80	140	26
278	NF 217	85	150	28
279	NF 218	90	160	30
280	NF 219	95	170	32
281	NF 220	100	180	34
282	NF 2205	25	52	18
283	NF 2206	30	62	20
284	NF 2207	35	72	23
285	NF 2208	40	80	23
286	NF 2209	45	85	23

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
287	NF 221	105	190	36
288	NF 2210	50	90	23
289	NF 2211	55	100	25
290	NF 2212	60	110	28
291	NF 2213	65	120	31
292	NF 2214	70	125	31
293	NF 2215	75	130	31
294	NF 2216	80	140	33
295	NF 2217	85	150	36
296	NF 2218	90	160	40
297	NF 2219	95	170	43
298	NF 222	110	200	38
299	NF 2220	100	180	46
300	NF 224	120	215	40
301	NF 226	130	230	40
302	NF 228	140	250	42
303	NF 230	150	270	45
304	NF 2304	20	52	21
305	NF 2305	25	62	24
306	NF 2306	30	72	27
307	NF 2307	35	80	31
308	NF 2308	40	90	33
309	NF 2309	45	100	36
310	NF 2310	50	110	40
311	NF 2311	55	120	43
312	NF 2313	65	140	48

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
313	NF 2314	70	150	51
314	NF 2315	75	160	55
315	NF 2316	80	170	58
316	NF 2317	85	180	60
317	NF 2318	90	190	64
318	NF 2319	95	200	67
319	NF 232	160	290	48
320	NF 2320	100	215	73
321	NF 234	170	310	52
322	NF 236	180	320	52
323	NF 238	190	340	55
324	NF 304	20	52	15
325	NF 305	25	62	17
326	NF 306	30	72	19
327	NF 307	35	80	21
328	NF 308	40	90	23
329	NF 308 M	40	90	23
330	NF 309 BR	45	100	25
331	NF 309 ST	45	100	25
332	NF 310	50	110	27
333	NF 311	55	120	29
334	NF 312	60	130	31
335	NF 313	65	140	33
336	NF 314	70	150	35
337	NF 315	75	160	37
338	NF 316	80	170	39

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
339	NF 317	85	180	41
340	NF 318	90	190	43
341	NF 319	95	200	45
342	NF 320	100	215	47
343	NF 321	105	225	49
344	NF 322	110	240	50
345	NF 324	120	260	55
346	NF 326	130	280	58
347	NF 328	140	300	62
348	NF 330	150	320	65
349	NF 332	160	340	68
350	NF 405	25	80	21
351	NF 406	30	90	23
352	NF 407	35	100	25
353	NF 408	40	110	27
354	NF 409	45	120	29
355	NF 410	50	130	31
356	NF 411	55	140	33
357	NF 412	60	150	35
358	NF 413	65	160	37
359	NF 414	70	180	42
360	NF 415	75	190	45
361	NF 416	80	200	48
362	NF 417	85	210	52
363	NF 418	90	225	54
364	NF 419	95	240	55

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
365	NF 420	100	250	58
366	NF 421	105	260	60
367	NF 422	110	280	65
368	NFP 1013	65	100	13.514
369	NJ 1009	45	75	16
370	NJ 1011	55	90	18
371	NJ 1012	60	95.046	18
372	NJ 1013	65	100.046	18
373	NJ 2009	45	75	19
374	NJ 202	15	35	11
375	NJ 203	17	40	12
376	NJ 204	20	47	14
377	NJ 205	25	52	15
378	NJ 206	30	62	16
379	NJ 207	35	72	17
380	NJ 208	40	80	18
381	NJ 209	45	85	19
382	NJ 210/C3	50	90	20
383	NJ 211	55	100	21
384	NJ 212	60	110	22
385	NJ 213	65	120	23
386	NJ 214	70	125	24
387	NJ 215/C3	75	130	25
388	NJ 216	80	140	26
389	NJ 217	85	150	28
390	NJ 218	90	160	30



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
391	NJ 219	95	170	32
392	NJ 220	100	180	34
393	NJ 2203	17	40	16
394	NJ 2204	20	47	18
395	NJ 2205/C3	25	52	18
396	NJ 2206	30	62	20
397	NJ 2207	35	72	23
398	NJ 2208	40	80	23
399	NJ 2209	45	85	23
400	NJ 221	105	190	36
401	NJ 2210	50	90	23
402	NJ 2211	55	100	25
403	NJ 2212	60	110	28
404	NJ 2213	65	120	31
405	NJ 2214	70	125	31
406	NJ 2215	75	130	31
407	NJ 2216	80	140	33
408	NJ 2217	85	150	36
409	NJ 2218	90	160	40
410	NJ 2219	95	170	43
411	NJ 222	110	200	38
412	NJ 2220	100	180	46
413	NJ 2222/C3	110	200	53
414	NJ 2224	120	215	58
415	NJ 2226	130	230	64
416	NJ 2228	140	250	68

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
417	NJ 2230	150	270	73
418	NJ 224	120	215	40
419	NJ 226	130	230	40
420	NJ 228	140	250	42
421	NJ 230	150	270	45
422	NJ 2304	20	52	21
423	NJ 2305	25	62	24
424	NJ 2306	30	72	27
425	NJ 2307	35	80	31
426	NJ 2308	40	90	33
427	NJ 2309	45	100	36
428	NJ 2310	50	110	40
429	NJ 2311	55	120	43
430	NJ 2312	60	130	46
431	NJ 2313	65	140	48
432	NJ 2314	70	150	51
433	NJ 2315/C4	75	160	55
434	NJ 2317	85	180	60
435	NJ 2318	90	190	64
436	NJ 2319	95	200	67
437	NJ 232	160	290	48
438	NJ 2320	100	215	73
439	NJ 2322/C3	110	240	80
440	NJ 2324 EM	120	260	86
441	NJ 2326	130	280	93
442	NJ 2328	140	300	102

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
443	NJ 2330	150	320	108
444	NJ 3013	65	100	26
445	NJ 303	17	47	14
446	NJ 304	20	52	15
447	NJ 305	25	62	17
448	NJ 305 BR	25	62	17
449	NJ 305 ST	25	62	17
450	NJ 305 TVP	25	62	17
451	NJ 306	30	72	19
452	NJ 307	35	80	21
453	NJ 308	40	90	23
454	NJ 309	45	100	25
455	NJ 309 BR	45	100	25
456	NJ 310	50	110	27
457	NJ 311	55	120	29
458	NJ 312	60	130	31
459	NJ 313	65	140	33
460	NJ 314	70	150	35
461	NJ 315	75	160	37
462	NJ 316	80	170	39
463	NJ 317	85	180	41
464	NJ 318	90	190	43
465	NJ 319	95	200	45
466	NJ 320	100	215	47
467	NJ 321	105	225	49
468	NJ 322	110	240	50

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
469	NJ 324	120	260	55
470	NJ 326	130	280	58
471	NJ 328	140	300	62
472	NJ 330	150	320	65
473	NJ 405	25	80	21
474	NJ 406/C3	30	90	23
475	NJ 407	35	100	25
476	NJ 408	40	110	27
477	NJ 409	45	120	29
478	NJ 410	50	130	31
479	NJ 411	55	140	33
480	NJ 412	60	150	35
481	NJ 413	65	160	37
482	NJ 414	70	180	42
483	NJ 415	75	190	45
484	NJ 416/C3	80	200	48
485	NJ 417	85	210	52
486	NJ 418	90	225	54
487	NJ 419	95	240	55
488	NJ 420	100	250	58
489	NJ 421	105	260	60
490	NJ 422	110	280	65
491	NJ 424	120	310	72
492	NJ 426	130	340	78
493	NS 1909	45	95	32
494	NU 1005	25	47	12

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
495	NU 1006	30	55	13
496	NU 1007	35	62	14
497	NU 1008	40	68	15
498	NU 1009	45	75	16
499	NU 1010	50	80	16
500	NU 1011	55	90	18
501	NU 1013	65	100	18
502	NU 1014	70	110	20
503	NU 1015 C4	75	115	20
504	NU 1016	80	125	22
505	NU 1017	85	130	22
506	NU 1018 AL.	90	140	24
507	NU 1019	95	145	24
508	NU 1020	100	150	24
509	NU 1021	105	160	26
510	NU 1022	110	170	28
511	NU 1024	120	180	28
512	NU 1026	130	200	33
513	NU 1028	140	210	33
514	NU 1030	150	225	35
515	NU 202	15	35	11
516	NU 202/C3	15	35	11
517	NU 203	17	40	12
518	NU 204	20	47	14
519	NU 205	25	52	15
520	NU 205 ST	25	52	15

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
521	NU 206	30	62	16
522	NU 206 ETVP	30	62	16
523	NU 207 ETVP	35	72	17
524	NU 208	40	80	18
525	NU 208 K	40	80	18
526	NU 209	45	85	19
527	NU 209 MN [Bron]	45	85	19
528	NU 209 MN [with Ring]	45	85	19
529	NU 210	50	90	20
530	NU 211	55	100	21
531	NU 212	60	110	22
532	NU 213	65	120	23
533	NU 214	70	125	24
534	NU 215	75	130	25
535	NU 216	80	140	26
536	NU 217	85	150	28
537	NU 218	90	160	30
538	NU 219	95	170	32
539	NU 219 NM	95	170	32
540	NU 220	100	180	34
541	NU 2203	17	40	16
542	NU 2204	20	47	18
543	NU 2205	25	52	18
544	NU 2206	30	62	20
545	NU 2207	35	72	23
546	NU 2207 FM	35	72	23

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
547	NU 2208	40	80	23
548	NU 2209	45	85	23
549	NU 221	105	190	36
550	NU 2210	50	90	23
551	NU 2211	55	100	25
552	NU 2212	60	110	28
553	NU 2213	65	120	31
554	NU 2214	70	125	31
555	NU 2215 M	75	130	31
556	NU 2216	80	140	33
557	NU 2217	85	150	36
558	NU 2218	90	160	40
559	NU 2219	95	170	43
560	NU 222	110	200	38
561	NU 2220	100	180	46
562	NU 2222	110	200	53
563	NU 2224	120	215	58
564	NU 2226	130	230	64
565	NU 2228	140	250	68
566	NU 2230	150	270	73
567	NU 224	120	215	40
568	NU 226	130	230	40
569	NU 228	140	250	42
570	NU 230	150	270	45
571	NU 2304	20	52	21
572	NU 2305	25	62	24

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
573	NU 2306	30	72	27
574	NU 2307 FM/C3	35	80	31
575	NU 2308	40	90	33
576	NU 2309	45	100	36
577	NU 2310	50	110	40
578	NU 2311	55	120	43
579	NU 2312	60	130	46
580	NU 2313	65	140	48
581	NU 2314	70	150	51
582	NU 2315	75	160	55
583	NU 2316	80	170	58
584	NU 2317	85	180	60
585	NU 2318	90	190	64
586	NU 2319	95	200	67
587	NU 232	160	290	48
588	NU 2320	100	215	73
589	NU 2322	110	240	80
590	NU 2324	120	260	86
591	NU 2326	130	280	93
592	NU 2328	140	300	102
593	NU 2330	150	320	108
594	NU 303	17	47	14
595	NU 304	20	52	15
596	NU 304 N	20	52	15
597	NU 305	25	62	17
598	NU 306	30	72	19



SR.NO.	ISO	d (mm)	D (mm)	B (mm)
599	NU 307	35	80	21
600	NU 307 [with GR]	35	80	23
601	NU 308	40	90	23
602	NU 310	50	110	27
603	NU 311	55	120	29
604	NU 312	60	130	31
605	NU 313	65	140	33
606	NU 314	70	150	35
607	NU 315	75	160	37
608	NU 316	80	170	39
609	NU 317	85	180	41
610	NU 318	90	190	43
611	NU 319	95	200	45
612	NU 320	100	215	47
613	NU 321	105	225	49
614	NU 322	110	240	50
615	NU 324	120	260	55
616	NU 326	130	280	58
617	NU 328	140	300	62
618	NU 330	150	320	65
619	NU 405	25	80	21
620	NU 406	30	90	23
621	NU 407	35	100	25
622	NU 408	40	110	27
623	NU 409	45	120	29
624	NU 410	50	130	31

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
625	NU 411	55	140	33
626	NU 412	60	150	35
627	NU 413	65	160	37
628	NU 414	70	180	42
629	NU 415	75	190	45
630	NU 416	80	200	48
631	NU 417	85	210	52
632	NU 418	90	225	54
633	NU 419	95	240	55
634	NU 420	100	250	58
635	NU 421	105	260	60
636	NU 422	110	280	65
637	NU 424	120	310	72
638	NU 426	130	340	78
639	NUP 200	10	30	9
640	NUP 201	12	32	10
641	NUP 202	15	35	11
642	NUP 203	17	40	12
643	NUP 204	20	47	14
644	NUP 205	25	52	15
645	NUP 206	30	62	16
646	NUP 207	35	72	17
647	NUP 208	40	80	18
648	NUP 209	45	85	19
649	NUP 210	50	90	23
650	NUP 210	50	90	20

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
651	NUP 211	55	100	21
652	NUP 212	60	110	22
653	NUP 213/C3	65	120	23
654	NUP 214	70	125	24
655	NUP 215	75	130	25
656	NUP 216	80	140	26
657	NUP 217	85	150	28
658	NUP 218	90	160	30
659	NUP 219	95	170	32
660	NUP 220	100	180	34
661	NUP 2203	17	40	16
662	NUP 2205	25	52	18
663	NUP 2206	30	62	20
664	NUP 2207	35	72	23
665	NUP 2208	40	80	23
666	NUP 2209	45	85	23
667	NUP 221	105	190	36
668	NUP 2210	50	90	23
669	NUP 2211	55	100	25
670	NUP 2212/C3	60	110	28
671	NUP 2213	65	120	31
672	NUP 2214	70	125	31
673	NUP 2215	75	130	31
674	NUP 2216	80	140	33
675	NUP 2217	85	150	36
676	NUP 2218	90	160	40

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
677	NUP 2219	95	170	43
678	NUP 222	110	200	38
679	NUP 2220	100	180	46
680	NUP 2222	110	200	53
681	NUP 2224	120	215	58
682	NUP 2226	130	230	64
683	NUP 2228	140	250	68
684	NUP 2230	150	270	73
685	NUP 224	120	215	40
686	NUP 226	130	230	40
687	NUP 230	150	270	45
688	NUP 2304	20	52	21
689	NUP 2305	25	62	24
690	NUP 2306	30	72	27
691	NUP 2307	35	80	31
692	NUP 2308	40	90	33
693	NUP 2309	45	100	36
694	NUP 2310	50	110	40
695	NUP 2311	55	120	43
696	NUP 2312	60	130	46
697	NUP 2313	65	140	48
698	NUP 2314	70	150	51
699	NUP 2315	75	160	55
700	NUP 2316	80	170	58
701	NUP 2317	85	180	60
702	NUP 2318	90	190	64

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
703	NUP 2319	95	200	67
704	NUP 2320	100	215	73
705	NUP 2322	110	240	80
706	NUP 2324	120	260	86
707	NUP 2326	130	280	93
708	NUP 2328	140	300	102
709	NUP 2330	150	320	108
710	NUP 300	10	35	11
711	NUP 301	12	37	12
712	NUP 302	15	42	13
713	NUP 303	17	47	14
714	NUP 304/C3	20	52	15
715	NUP 305	25	62	17
716	NUP 306	30	72	19
717	NUP 307/C3	35	80	21
718	NUP 308	40	90	23
719	NUP 309	45	100	25
720	NUP 309 C3	45	100	25
721	NUP 310 FNR/C3	50	110	27
722	NUP 310/C3	50	110	27
723	NUP 311	55	120	29
724	NUP 311/C3	55	120	29
725	NUP 312/C3	60	130	31
726	NUP 313	65	140	33
727	NUP 314	70	150	35
728	NUP 315	75	160	37

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
729	NUP 316	80	170	39
730	NUP 317	85	180	41
731	NUP 318	90	190	43
732	NUP 319	95	200	45
733	NUP 320	100	215	47
734	NUP 321	105	225	49
735	NUP 322	110	240	50
736	NUP 324	120	260	55
737	NUP 326	130	280	58
738	NUP 328	140	300	62
739	NUP 330	150	320	65
740	NUP 405	25	80	21
741	NUP 406	30	90	23
742	NUP 407	35	100	25
743	NUP 408	40	110	27
744	NUP 409	45	120	29
745	NUP 410	50	130	31
746	NUP 411	55	140	33
747	NUP 412	60	150	35
748	NUP 413	65	160	37
749	NUP 414	70	180	42
750	NUP 415	75	190	45
751	NUP 416	80	200	48
752	NUP 417	85	210	52
753	NUP 418	90	225	54
754	NUP 419	95	240	55

SR.NO.	ISO	d (mm)	D (mm)	B (mm)
755	NUP 420	100	250	58
756	NUP 421	105	260	60
757	NUP 422	110	280	65
758	NUP 424	120	310	72
759	NUP 426	130	340	78
760	NUPJ 209	45	85	19
761	RNA 4908	48	62	22
762	RNA 4909	52	68	22
763	RNF 305	25	53.05	17
764	RNF 306	30	62	19







[www.kasumabearings.com](http://www.kasumabearings.com)  
[info@kasumabearings.com](mailto:info@kasumabearings.com)